

References

1. Ashburner M, Ball CA, Blake JA, et al. Gene ontology: tool for the unification of biology. *Nat Genet* 2000;25:25–29.
2. Smith B, Ashburner M, Rosse C, et al. The OBO Foundry: coordinated evolution of ontologies to support biomedical data integration. *Nat Biotech* 2007;25:1251–5.
3. Musen MA, Noy NF, Shah NH, et al. The National Center for Biomedical Ontology. *J Am Med Inform Assoc* 2012;19:190–5.
4. Gruber TR, Olsen G. An ontology for engineering mathematics in principles of knowledge representation and reasoning. In: J Doyle, P Torasso, E Sandewall (eds). *Proceedings of the 4th International Conference (KR '94): Bonn, Germany, May 24–27, 1994*. Morgan Kaufmann Publishers, Burlington, Massachusetts, USA, 1994, 258–69.
5. Gruber TR. Toward principles for the design of ontologies used for knowledge sharing. *Int J Hum Comput Stud* 1995; 43(5/6):907–28.
6. Guarino N. Formal ontology and information systems. In: N Guarino (ed). *Proceedings of the 1st International Conference on Formal Ontologies in Information Systems*. Amsterdam, Netherlands: IOS Press, 1998, 3–15.
7. Smith B, Williams J, Schulze-Kremer S. The ontology of the gene ontology. *AMIA Annu Symp Proc* 2003;2003:609–13.
8. Baader F, Calvanese D, McGuinness D, et al. *The Description Logic Handbook: Theory, Implementation and Applications*. Cambridge University Press, 2003.
9. Heller B, Herre H. Ontological categories in GOL. *Axiomathes* 2004;14:57–76.
10. Herre H, Loebe F. A meta-ontological architecture for foundational ontologies. In: *On the Move to Meaningful Internet Systems 2005: CoopIS, DOA, and ODBASE*. Springer Verlag, Heidelberg, Germany, 2005, 1398–415.
11. Kumar A, Smith B. In: A Günter, R Kruse, B Neumann (eds). *KI2003: Advances in AI, 2003*, 135–48.
12. Bada M, Stevens R, Goble C, et al. A short study on the success of the Gene Ontology. *Web Semant* 2004;1:235–40.
13. Bodenreider O, Stevens R. Bio-ontologies: current trends and future directions. *Brief Bioinform* 2006;7:256–74.
14. Smith B. Ontology (Science). In: *Proceeding of the 2008 conference on Formal Ontology in Information Systems: Proceedings of the Fifth International Conference (FOIS 2008)*. IOS Press, Amsterdam, The Netherlands, 2008, 21–35.
15. Merrill GH. Ontological realism: methodology or misdirection? *Appl Ontol* 2010;5:79–108.
16. Berners-Lee T, Hendler J, Lassila O, et al. *The Semantic Web*. *Sci Am* 2001;284:28–37.
17. Ruttenberg A, Courtot M, Mungall CJ. OBO Foundry Identifier Policy. 2013. http://www.obofoundry.org/id_policy.shtml (2 November 2014 date last accessed).
18. Cimino JJ. Desiderata for controlled medical vocabularies in the twenty-first century. *Methods Inf Med* 1998;37:394–403.

19. Stevens R, Hull D. Separating Concepts from Labels. 2010. <http://ontogenesis.knowledgeblog.org/818>
20. Rosse C, Mejino JLV. A reference ontology for biomedical informatics: the foundational model of anatomy. *J Biomed Inform* 2003;36:478–500.
21. Munn K, Smith B (eds). *Applied Ontology: An Introduction*, 1st edn. Ontos Verlag, Heusenstamm, Germany, 2009.
22. Burgun A, Bodenreider O, Jacquelinet C. Issues in the classification of disease instances with ontologies. *Stud Health Technol Inform* 2005;116:695–700.
23. Grau B, Horrocks I, Motik B, et al. OWL 2: the next step for OWL. *Web Semant* 2008;6:309–322.
24. Baader F. *The Description Logic Handbook: Theory, Implementation and Applications*. Cambridge University Press, 2003.
25. Horrocks I, Kutz O, Sattler U. The even more irresistible SROIQ. In: P Doherty, J Mylopoulos, CA Welty (eds). *KR*. Palo Alto, California, USA: AAAI Press, 2006, 57–67.
26. Motik B, Grau BC, Horrocks I, et al. OWL 2 Web Ontology Language: Profiles Recommendation. World Wide Web Consortium (W3C), Cambridge, Massachusetts, USA, 2009.
27. Horrocks I. OBO Flat File Format Syntax and Semantics and Mapping to OWL Web Ontology Language. University of Manchester, 2007. <http://www.cs.man.ac.uk/rvhorrocks/obo/>
28. Henkin L, Suppes P, Tarski A. The axiomatic method with special reference to geometry and physics. In: *Proceedings of an International Symposium Held at the University of California, Berkeley, December 26, 1957–January 4, 1958*. North-Holland Publishing Co, Amsterdam, 1959.
29. Stevens R, Stevens M. A family history knowledge base using OWL 2. In: C Dolbear, A Ruttenberg, U, Sattler. *OWLED*, Vol. 432. Aachen, Germany: CEUR-WS.org, 2008.
30. Barwise J. *Model-Theoretic Logics (Perspectives in Mathematical Logic)*. Springer, Heidelberg, Germany, 1985.
31. Hoehndorf R, Batchelor C, Bittner T, et al. The RNA Ontology (RNAO): an ontology for integrating RNA sequence and structure data. *Appl Ontol* 2011;6:53–89.
32. Grenon P. BFO in a Nutshell: A Bi-categorical Axiomatization of BFO and Comparison with DOLCE. IFOMIS Report 06/2003. Institute for Formal Ontology and Medical Information Science (IFOMIS), University of Leipzig, Leipzig, Germany, 2003.
33. Eilbeck K, Lewis SE, Mungall CJ, et al. The sequence ontology: a tool for the unification of genome annotations. *Genome Biol* 2005;6:R44.
34. Hoehndorf R, Kelso J, Herre H. The ontology of biological sequences. *BMC Bioinformatics* 2009;10:377p.
35. Hoehndorf R, Oellrich A, Dumontier M, et al. Relations as patterns: bridging the gap between OBO and OWL. *BMC Bioinformatics* 2010;11:441p.
36. Schulz S, Hahn U. Part-whole representation and reasoning in formal biomedical ontologies. *Artif Intell Med* 2005;34: 179–200.
37. Smith B, Ceusters W, Klagges B, et al. Relations in biomedical ontologies. *Genome Biol* 2004;6:R46.
38. The Gene Ontology Consortium. Gene ontology annotations and resources. *Nucleic Acids Res* 2013;41:D530–5.
39. Ciccarese P, Ocana M, Garcia Castro L, et al. An open annotation ontology for science on web 3.0. *J Biomed Semantics* 2011; 2:S4.
40. Lingutla N, Preece J, Todorovic S, et al. AISO: annotation of image segments with ontologies. *J Biomed Semantics* 2014;5:50.
41. Chibucos MC, Mungall CJ, Balakrishnan R, et al. Standardized description of scientific evidence using the Evidence Ontology (ECO). *Database* 2014;2014:pii: bau075.
42. Belhajjame K, Cheney J, Corsar D, et al. PROV-O: The PROV Ontology. 2012. <http://www.w3.org/TR/prov-o/>.
43. Ciccarese P, Ocana M, Clark T. Open semantic annotation of scientific publications using DOME0. *J Biomed Semantics* 2012;3:S1.
44. Sanderson R, Ciccarese P, de Sompel HV. Designing the W3C open annotation data model. *CoRR* 2013;abs/1304.6709.
45. Hirschman L, Burns GAPC, Krallinger M, et al. Text mining for the biocuration workflow. *Database* 2012;2012:bas020.
46. Müller HM, Kenny EE, Sternberg PW. Textpresso: an ontology-based information retrieval and extraction system for biological literature. *PLoS Biol* 2004;2:e309p.
47. Dowell KG, McAndrews-Hill MS, Hill DP, et al. Integrating text mining into the MGI biocuration workflow. *Database* (Oxford) 2009;2009:bap019.
48. Dahdul WM, Balhoff JP, Engeman J, et al. Evolutionary characters, phenotypes and ontologies: curating data from the systematic biology literature. *PLoS One* 2010;5:e10708.
49. Balhoff J, Dahdul W, Dececchi T, et al. Annotation of phenotypic diversity: decoupling data curation and ontology curation using Phenex. *J Biomed Semantics* 2014;5:45.
50. Gaudet P, Livstone MS, Lewis SE, et al. Phylogenetic-based propagation of functional annotations within the Gene Ontology consortium. *Brief Bioinform* 2011;12:449–62.
51. Mabee P, Balhoff JP, Dahdul WM, et al. 500,000 fish phenotypes: the new informatics landscape for evolutionary and developmental biology of the vertebrate skeleton. *J Appl Ichthyol* 2012;28:300–5.
52. Brown SDM, Moore MW. Towards an encyclopaedia of mammalian gene function: the International Mouse Phenotyping Consortium. *Dis Model Mech* 2012;5:289–292.
53. Beck T, Morgan H, Blake A, et al. Practical application of ontologies to annotate and analyse large scale raw mouse phenotype data. *BMC Bioinformatics* 2009;10:S2p.
54. Koscielny G, Yaikhom G, Iyer V, et al. The International Mouse Phenotyping Consortium Web Portal, a unified point of access for knockout mice and related phenotyping data. *Nucleic Acids Res* 2014;42:D802–9.
55. Carbon S, Ireland A, Mungall CJ, et al. AmiGO: online access to ontology and annotation data. *Bioinformatics* 2009;25:288–9.
56. Doms A, Schroeder M. GoPubMed: exploring PubMed with the Gene Ontology. *Nucleic Acids Res* 2005;33:783–6.
57. Rebholz-Schuhmann D, Oellrich A, Hoehndorf R. Text-mining solutions for biomedical research: enabling integrative biology. *Nat Rev Genet* 2012;13:829–39.
58. Jonquet C, Shah NH, Musen MA. The open biomedical annotator. *Summit Translat Bioinforma* 2009;2009:56–60.
59. Ghazvinian A, Noy NF, Musen MA. Creating mappings for ontologies in biomedicine: simple methods work. *AMIA Annu Symp Proc* 2009;2009:198–202.
60. Mao Y, Van Auken K, Li D, et al. Overview of the gene ontology task at BioCreative IV. *Database* 2014;2014:bau086.
61. Van Driel MA, Bruggeman J, Vriend G, et al. A text-mining analysis of the human phenome. *Eur J Hum Genet* 2006;14: 535–42.
62. Zhou X, Menche J, Barabási A-L, et al. Human symptoms–disease network. *Nat Commun* 2014;5:4212.
63. Campillos M, Kuhn M, Gavin ACC, et al. Drug target identification using side-effect similarity. *Science* 2008;321:263–6.
64. Kuhn M, Campillos M, Letunic I, et al. A side effect resource to capture phenotypic effects of drugs. *Mol Syst Biol* 2010;6:343.
65. Percha B, Garten Y, Altman RB. Discovery and explanation of drug-drug interactions via text mining. *Pac Symp Biocomput* 2012;2012:410–21.

66. Oellrich A, Gkoutos GV, Hoehndorf R, et al. Quantitative comparison of mapping methods between Human and Mammalian Phenotype Ontology. *J Biomed Semantics* 2012; 3:S1.
67. Hoehndorf R, Schofield PN, Gkoutos GV. An integrative, translational approach to understanding rare and orphan genetically based diseases. *Interface Focus* 2013;3: 20120055.
68. Rebholz-Schuhmann D, Kim JH, Yan Y, et al. Evaluation and cross-comparison of lexical entities of biological interest (LexEBI). *PLoS One* 2013;8:e75185.
69. Funk C, Baumgartner W, Garcia B, et al. Large-scale biomedical concept recognition: an evaluation of current automatic annotators and their parameters. *BMC Bioinformatics* 2014; 15:59.
70. Hunter L, Lu Z, Firby J, et al. OpenDMAP: an open source, ontology-driven concept analysis engine, with applications to capturing knowledge regarding protein transport, protein interactions and cell-type-specific gene expression. *BMC Bioinformatics* 2008;9:78.
71. Shah N, Bhatia N, Jonquet C, et al. Comparison of concept recognizers for building the Open Biomedical Annotator. *BMC Bioinformatics* 2009;10(Suppl 9):S14.
72. Sirin E, Parsia B, Grau BC, et al. Pellet: a practical OWL-DL reasoner. *Web Semant* 2007;5:51–3.
73. Motik B, Shearer R, Horrocks I. Hypertableau reasoning for description logics. *J Artif Intell Res* 2009;36:165–228.
74. Kazakov Y, Krötzsch M, Simancik F. The incredible ELK. *J Autom Reason* 2014;53:1–61.
75. Steigmiller A, Liebig T, Glimm B. Konclude: system description. *Web Semant* 2014;27.
76. Bail S, Glimm B, Jiménez-Ruiz E, et al. (eds). ORE 2014: OWL Reasoner Evaluation Workshop. *CEUR Workshop Proceedings* 1207. CEUR-WS.org, Aachen, Germany, 2014.
77. Hoehndorf R, Dumontier M, Oellrich A, et al. A common layer of interoperability for biomedical ontologies based on OWL EL. *Bioinformatics* 2011;27:1001–8.
78. Rector AL. Modularisation of domain ontologies implemented in description logics and related formalisms including OWL in K-CAP '03. In: *Proceedings of the 2nd International Conference on Knowledge Capture*. ACM Press, New York, NY, 2003, 121–8.
79. Jiménez-Ruiz E, Grau BC, Sattler U, et al. English. In: S Bechhofer, M Hauswirth, J Hoffmann, et al. (eds). *The Semantic Web: Research and Applications*. Springer, Berlin, Heidelberg, 2008, 185–199.
80. Horridge M, Bechhofer S, Noppens O. Igniting the OWL 1.1 Touch Paper: The OWL API. In: *Proceedings of OWLED 2007: Third International Workshop on OWL Experiences and Directions*. 2007. CEUR-WS.org, Aachen, Germany.
81. Noppens O, Luther M, Liebig T. The OWLlink API: Teaching OWL Components a Common Protocol. In: E Sirin, K Clark (eds). *Proceedings of the 7th International Workshop on OWL: Experiences and Directions (OWLED 2010)*, Vol. 614 of *CEUR Workshop Proceedings*, 2010. <http://ceur-ws.org>.
82. Noy NF, Sintek M, Decker S, et al. Creating semantic web contents with protege-2000. *IEEE Intell Syst* 2001;16:60–71.
83. Hoehndorf R, Dumontier M, Gennari JH, et al. Integrating systems biology models and biomedical ontologies. *BMC Syst Biol* 2011;5:124b.
84. Lenzerini M, Console M. Data quality in ontology-based data access: the case of consistency. In: *Proceedings of the Twenty-Eighth AAAI Conference on Artificial Intelligence* 2014, 1020–6. AAAI Press, Palo Alto, California, USA.
85. Tao C, Song D, Sharma D, et al. Semantator: semantic annotator for converting biomedical text to linked data. *J Biomed Inform* 2013;46:882–93.
86. Demir E, Cary MP, Paley S, et al. The BioPAX community standard for pathway data sharing. *Nat Biotechnol* 2010;28:935–42.
87. Wolstencroft K, Lord P, Taberner L, et al. Protein classification using ontology classification. *Bioinformatics* 2006;22:e530–8.
88. Egaña M, Rector A, Stevens R, et al. Applying ontology design patterns in bio-ontologies. In: A Gangemi, J Euzenat (eds). *Knowledge Engineering: Practice and Patterns*, Vol. 5268 of *Lecture Notes in Computer Science*. 2008, 7–16.
89. Hoehndorf R, Dumontier M, Oellrich A, et al. Interoperability between biomedical ontologies through relation expansion, upper-level ontologies and automatic reasoning. *PLOS One* 2011;6:e22006.
90. Mungall C, Gkoutos G, Smith C, et al. Integrating phenotype ontologies across multiple species. *Genome Biol* 2010;11:R2. doi:10.1186/gb-2010-11-1-r2, R2b (2010).
91. Washington NL, Haendel MA, Mungall CJ, et al. Linking human diseases to animal models using ontology-based phenotype annotation. *PLoS Biol* 2009;7:e1000247.
92. Mungall C, Torniai C, Gkoutos G, et al. Uberon, an integrative multi-species anatomy ontology. *Genome Biol* 2012;13:R5.
93. Hoehndorf R, Oellrich A, Rebholz-Schuhmann D. Interoperability between phenotype and anatomy ontologies. *Bioinformatics* 2010;26:3112–18.
94. Subramanian A, Tamayo P, Mootha VK, et al. Gene set enrichment analysis: a knowledge-based approach for interpreting genome-wide expression profiles. *Proc Natl Acad Sci USA* 2005;102:15545–50.
95. Pesquita C, Faria D, Falcao AO, et al. Semantic similarity in biomedical ontologies. *PLoS Comput Biol* 2009;5:e1000443. DOI:10.1371/journal.pcbi.1000443, e1000443.
96. Guzzi PH, Mina M, Guerra C, et al. Semantic similarity analysis of protein data: assessment with biological features and issues. *Brief Bioinform* 2011;13:569–85.
97. Benabderrahmane S, Smail-Tabbone M, Poch O, et al. IntelliGO: a new vector-based semantic similarity measure including annotation origin. *BMC Bioinformatics* 2010;11:588.
98. Köhler S, Schulz MH, Krawitz P, et al. Clinical diagnostics in human genetics with semantic similarity searches in ontologies. *Am J Hum Genet* 2009;85:457–64.
99. Hoehndorf R, Schofield PN, Gkoutos GV. PhenomeNET: a whole-phenome approach to disease gene discovery. *Nucleic Acids Res* 2011;39:e119.
100. Schlicker A, Albrecht M. FunSimMat update: new features for exploring functional similarity. *Nucleic Acids Res* 2010;38: D244–8.
101. Ferreira JD, Couto FM. Semantic similarity for automatic classification of chemical compounds. *PLoS Comput Biol* 2010; 6:e1000937.
102. Radivojac P, Clark WT, Oron TR, et al. A large-scale evaluation of computational protein function prediction. *Nat Meth* 2013;10:221–7.
103. Melvin I, Ie E, Kuang R, et al. SVM-Fold: a tool for discriminative multi-class protein fold and superfamily recognition. *BMC Bioinformatics* 2007;8:S2.
104. Sokolov A, Funk C, Graim K, et al. Combining heterogeneous data sources for accurate functional annotation of proteins. *BMC Bioinformatics* 2013;14:S10.
105. Cozzetto D, Buchan D, Bryson K, et al. Protein function prediction by massive integration of evolutionary analyses and multiple data sources. *BMC Bioinformatics* 2013;14:S1.

106. Lan L, Djuric N, Guo Y, et al. MS-kNN: protein function prediction by integrating multiple data sources. *BMC Bioinformatics* 2013;14:S8.
107. Sokolov A, Ben-Hur A. Hierarchical classification of gene ontology terms using the GOSTruct method. *J Bioinform Comput Biol* 2010;8:357–76.
108. Skowron A, Wang H, Wojna A, et al. Multimodal classification: case studies. In: JF Peters, A Skowron (eds). *Transactions on Rough Sets V*. Springer-Verlag, Berlin, Heidelberg, 2006, 224–39.
109. Huang J, Dang J, Borchert GM, et al. OMIT: dynamic, semi-automated ontology development for the microRNA domain. *PLoS One* 2014;9:e100855.
110. Abeyruwan S, Vempati UD, Kucuk-McGinty H, et al. Evolving BioAssay Ontology (BAO): modularization, integration and applications. *J Biomed Semantics* 2014;5:S5.
111. Köhler S, Doelken SC, Ruef BJ, et al. Construction and accessibility of a cross-species phenotype ontology along with gene annotations for biomedical research. *F1000Research* 2013;2:30.
112. Vos R, Biserkov J, Balech B, et al. Enriched biodiversity data as a resource and service. *Biodiversity Data J* 2014;2:e1125.
113. Pathak J, Kiefer RC, Bielinski SJ, et al. Applying semantic web technologies for phenome-wide scan using an electronic health record linked Biobank. *J Biomed Semantics* 2012; 3:10.
114. Girdea M, Dumitriu S, Fiume M, et al. PhenoTips: patient phenotyping software for clinical and research use. *Hum Mutat* 2013;34:1057–65.
115. Denny JC. Chapter 13: Mining electronic health records in the genomics era. *PLoS Comput Biol* 2012;8:e1002823.
116. Zemojtel T, Köhler S, Mackenroth L, et al. Effective diagnosis of genetic disease by computational phenotype analysis of the disease-associated genome. *Sci Transl Med* 2014;6: 252ra123.
117. Hoehndorf R, Dumontier M, Gkoutos GV. Evaluation of research in biomedical ontologies. *Brief Bioinform* 2013;14: 696–712.
118. Dutkowski J, Kramer M, Surma MA, et al. A gene ontology inferred from molecular networks. *Nat Biotechnol* 2012;31: 38–45.
119. Verspoor K, Dvorkin D, Cohen KB, et al. Ontology quality assurance through analysis of term transformations. *Bioinformatics* 2009;25:i77–84.
120. Manola F, Miller E (eds). *RDF Primer*. World Wide Web Consortium, Cambridge, Massachusetts, USA, 2004.
121. Seaborne A, Prud'hommeaux E. *SPARQL Query Language for RDF*. W3C Recommendation (W3C, 2008). <http://www.w3.org/TR/2008/REC-rdf-sparql-query-20080115/>
122. Heath T, Bizer C. *Linked Data: Evolving the Web into a Global Data Space*, 1st edn. San Rafael, California, USA: Morgan & Claypool, 2011.
123. Nelson SJ, Schopen M, Savage AG, et al. The MeSH translation maintenance system: Structure, interface design, and implementation. In *Proceedings of the 11th World Congress on Medical Informatics*. IOS Press, Amsterdam, 2004, 67–9.
124. Bodenreider O. The Unified Medical Language System (UMLS): integrating biomedical terminology. *Nucleic Acids Res* 2004;32, D267–70.
125. Cornet R, de Keizer N. Forty years of SNOMED: a literature review. *BMC Med Inform Decis Mak* 2008;8:S2.
126. Noy NF, Shah NH, Whetzel PL, et al. BioPortal: ontologies and integrated data resources at the click of a mouse. *Nucleic Acids Res* 2009;37:W170–3.
127. Whetzel P, Team, N. NCBO technology: powering semantically aware applications. *J Biomed Semantics* 2013;4:S8.
128. Xiang Z, Mungall CJ, Ruttenberg A, et al. Ontobee: a linked data server and browser for ontology terms. In: *Proceedings of International Conference on Biomedical Ontology 2011*, 279–81. CEUR-WS.org, Aachen, Germany.
129. Cote R, Jones P, Apweiler R, et al. The Ontology Lookup Service, a lightweight cross-platform tool for controlled vocabulary queries. *BMC Bioinformatics* 2006;7:97b.
130. Tsarkov D, Horrocks I. FaCT++ description logic reasoner: system description. In: *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. Third International Joint Conference on Automated Reasoning, Seattle, USA. IJCAR 2006, Vol. 4130 LNAI. Springer Verlag, Heidelberg, Germany. 2006, 292–7.
131. Haarslev V, Hidde K, Möller R, et al. The RacerPro knowledge representation and reasoning system. *Semantic Web J* 2012;3: 267–77.
132. W3C. AllegroGraph RDFStore Web 3.0's Database. 2009. <http://www.franz.com/agraph/allegrograph/>
133. Thomas E, Pan JZ, Ren Y. TrOWL: tractable OWL 2 reasoning infrastructure. In: *Proceeding of the Extended Semantic Web Conference (ESWC2010)* Springer Verlag, Heidelberg, Germany, 2010.
134. Levin MK, Ruttenberg A, Masci AM, et al. owl_cpp, a C++ Library for Working with OWL Ontologies. In: O Bodenreider, ME Martone, A Ruttenberg (eds). *Proceedings of the 2nd International Conference on Biomedical Ontology CEUR-WS.org, Aachen, Germany 2011*, 40.
135. Croset S, Overington JP, Rebholz-Schuhmann D. Brain: biomedical knowledge manipulation. *Bioinformatics* 2013;29: 1238–9.
136. Bastian M, Heymann S, Jacomy M. Gephi: an open source software for exploring and manipulating networks. In: E Adar, M Hurst, T Finin, et al. (eds). *International AAAI Conference on Weblogs and Social Media (ICWSM)*. Palo Alto, California, USA: The AAAI Press, 2009, 361–2.
137. Smoot ME, Ono K, Ruschinski J, et al. Cytoscape 2.8: new features for data integration and network visualization. *Bioinformatics* 2011;27:431–2.
138. Harispe S, Ranwez S, Janaqi S, et al. The semantic measures library and toolkit: fast computation of semantic similarity and relatedness using biomedical ontologies. *Bioinformatics* 2014;30:740–2.
139. Hoehndorf R, Hancock JM, Hardy NW, et al. Analyzing gene expression data in mice with the Neuro Behavior Ontology. *Mamm Genome* 2014;25:32–40.